




Piézomètre 10 m - Crépine de 4 à 10 m/TN - Hauteur tête de protection : 0.80 m



Relevé du 20/12/2018  
Piézomètre 6 m - Crépiné de 2 à 5 m/TN - Hauteur tête de protection : 0.67 m









piezomètre	altitude NGF	hauteur hors sol (m)	20-déc-18			14-janv-19		
			profondeur eau/tête (m)	profondeur eau/TN (m)	niveau eau (NGF)	profondeur eau/tête (m)	profondeur eau/TN (m)	niveau eau (NGF)
<b>PZ1</b>	556.9	0.80	1.25	0.45	556.45	1.46	0.66	556.24
<b>PZ2</b>	548.4	0.72	1.21	0.49	547.91	1.83	1.11	547.29
<b>PZ3</b>	547.8	0.78	1.27	0.49	547.31	1.59	0.81	546.99
<b>PZ4</b>	547.0	0.00	0.75	0.75	546.25	0.93	0.93	546.07
<b>PZ5</b>	547.7	0.80	1.62	0.82	546.88	1.85	1.05	546.65
<b>PZ6</b>	557.8	0.67	2.12	1.45	556.35	1.30	0.63	557.17
<b>PZ7</b>	547.9	0.78	1.57	0.79	547.11	1.82	1.04	546.86